


REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
	A	NEW RELEASE PER ECO-14-008759	10JUN2014	DM
	A1	REVISED PER PCN E-18-006794	03MAY2018	SM




## SECTION A-A

4. SMALL MATERIAL EXTENSION IS ACCEPTABLE ON THIS END ALL AROUND.
3. THIS ACCESSORY PART IS PROVIDED WITHOUT TYPICAL TRANSPORTATION INDUSTRY PROCESS CONTROLS. NO VALIDATION TESTING HAS BEEN PERFORMED. CUSTOMER IS RESPONSIBLE FOR DETERMINING PRODUCT PERFORMANCE AND SUITABILITY FOR APPLICATION.
2. TEMPERATURE RATING: -29°C TO +100°C [-20°F TO +212°F]
1. THIS PART IS USED ON DT04-3P RECEPTACLES WITH ANY MODIFICATION THAT DOES NOT INCLUDE AN END CAP.

NOTE:

TE INTERNAL PN	DEUTSCH PN
DT3P-BT-YW	DT3P-BT-YW

2014 RELEASED FOR PUBLICATION ALL RIGHTS RESERVED. BY TE CONNECTIVITY COPYRIGHT 2014 THIS DRAWING IS UNPUBLISHED.

DIMENSIONS: MM [INCH]	DWN D. MEYER	10JUN2014	MATERIAL	PVC	FINISH	YELLOW
	CHK R. MESSENGER	10JUN2014	 TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. MEYER	10JUN2014				
0 PLC ±	PRODUCT SPEC	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
1 PLC ±	APPLICATION SPEC	-	A 4	44AFU8	©-DT3P-BT-YW	
2 PLC ±0.63 [0.025]	WEIGHT	7.00 G	CUSTOMER DRAWING			
3 PLC ±			SCALE	NONE	SHEET	1 OF 1
4 PLC ±					REV	A1
ANGLES ±5°						